

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12770	encrypt\$4 with message and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 09:38
L2	8806	encrypt\$4 near2 message and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 09:38
L3	2531	encrypt\$4 near2 message same encryption near2 key and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 09:39
L4	297	(encrypt\$4 near2 message same encryption near2 key).ab,ti. and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 09:39
L5	230	(encrypt\$4 near2 message with encryption near2 key).ab,ti. and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 09:39
S1	8	((("6529960") or ("6389475") or ("6226644") or ("5870562"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 07:49
S2	174433	(content or information or data) with filter\$4 and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 07:52

EAST Search History

S3	3542	(content or information or data) with filter\$4 same (broadcast\$4 or multicast\$4) and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 08:17
S4	48	("4979118" "5208811" "5245656" "5309437" "5430729" "5477541" "5490140" "5519858" "5530703" "5539734" "5539737" "5541911" "5546370" "5570366" "5600798" "5631908" "5680116" "5687324" "5696763" "5724351" "5754547" "5790554" "5802054" "5835710" "5854903" "5856981" "5867799" "5892924" "5893091" "5898686" "5903559" "5946316" "5987606" "6018766" "6032194" "6092101" "6108706").PN. OR ("6389475").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/10 08:08
S5	17	(content or information or data or message) with filter\$4 same (broadcast\$4 or multicast\$4) with automatic\$4 with (send\$4 or transmit\$4) with (message or information or data) and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/30 08:26
S6	271	(alert\$4) with (user or client) same filter\$4 with (data or information) and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 08:21
S7	16	((alert\$4) with (user or client) same filter\$4 with (data or information)).ab, ti. and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 06:54
S8	1677	(709/232).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 08:25

EAST Search History

S9	3616	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 08:25
S10	14	S8 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 08:38
S11	183	(client or user) with (filter\$4) same server with (transmit\$4 or send\$4) with (message) and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 08:39
S12	19	((client or user) with (filter\$4) same server with (transmit\$4 or send\$4) with (message)).ab,ti. and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 08:55
S13	647	filters near2 content and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 09:52
S14	75	(filters near2 content).ab,ti. and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 10:08
S15	70318	(determin\$4) with (description) and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 10:09

EAST Search History

S16	8184	(determin\$4) near2 (description) and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 10:09
S17	25	(determin\$4) near2 (message) near2 (description) and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 10:11
S18	8	(content or information or data or message) with filter\$4 same (broadcast\$4 or multicast\$4) with automatic\$4 with (send\$4 or transmit\$4) with (message or information or data) and @rlad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/30 08:27
S19	153	(send\$4 or transmit\$4) with (summary or description) near2 message and @rlad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/30 08:27
S20	3	(send\$4 or transmit\$4) with (summary or description) near2 message same filter\$4 and @rlad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/30 08:29
S21	9	(send\$4 or transmit\$4) with (summary or description) near2 message same filter\$4 and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/30 08:39
S22	9	(send\$4 or transmit\$4) with (summary or description or preview) near2 message same filter\$4 and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/30 08:39

EAST Search History

S23	57	(send\$4 or transmit\$4) with (summary or description or preview) near2 message and filter\$4 with message and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:53
S24	48	S23 not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/30 08:39
S25	251	(determin\$4) with (user or client) same (receiv\$4) with (duplicate or "same") with message and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:59
S26	16	(determin\$4) with (user or client) same (receiv\$4) with (duplicate) with message and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:54
S27	6	(determin\$4) with (user or client) same (receiv\$4) with (duplicate or "same") with message and (notify\$4 or inform) with (source or sender) and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:02
S28	4	(determin\$4) with (user or client) same (receiv\$4) with (duplicate or "same") with message and (notify\$4 or inform) with (source or sender) and @rlad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:02
S29	12	(determin\$4) with (user or client) same (receiv\$4) with (duplicate or "same") with message and (notify\$4 or inform\$4) with (source or sender) and @rlad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:19

EAST Search History

S30	12	(determin\$4) with (user or client) same (receiv\$4) with (duplicate or "same") with (message or advertisement) and (notify\$4 or inform\$4) with (source or sender) and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:16
S31	6	S30 not S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:14
S32	2	(determin\$4) with (user or client) same (receiv\$4) with (duplicate) with (message or advertisement) and (notify\$4 or inform\$4) with (source or sender) and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:19
S33	2	(determin\$4) with (user or client) same (receiv\$4) same (duplicate) with (message or advertisement) and (notify\$4 or inform\$4) with (source or sender) and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:20
S34	0	S33 not S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:20
S35	271	(user or client) with access\$4 with (database or repository) near3 message and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 06:55
S36	0	(user or client) with access\$4 with (database or repository) near3 message same (display\$4) with subject with database and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 06:55

EAST Search History

S37	1	(user or client) with access\$4 with (database or repository) near3 message and (display\$4) with subject with database and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 06:59
S38	12	(user or client) with access\$4 with (database or repository) near3 message and (display\$4) with subject and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 07:01
S39	32	(user or client) with access\$4 with (database or repository) near3 message and (stor\$4) with (related or similar) with message and @ad<="20040401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 09:37